

Smart Watch Download tools use instructions

Download necessary files, and make sure that your device has enough power This guide will help you to upgrade your ROM version, all user data will be cleared in the process.

STEP 1

Download 3 necessary files to your computer

①Download 【MT65xx_Rom_Flashing_Drive.zip】 to your desktop

<http://d.wintouch.cc/software/M501/MTK65xxDriver.rar>

②Download 【out.zip】 to your desktop

<http://d.wintouch.cc/software/smartwatch/output.rar>

③Choose the model and download wintouch ROM to D disk <http://www.wintouch.ae/download/>

If you have downloaded the latest installation pack, there is no need to download it again.

One, Upgrade Line:

The upgrade will use the following line (see chart).



A USB

On the above two kinds of line connection description:

6575) 1 platform projects with any one of the above line can be upgraded.

2) if there is no battery powered, please use the A download cable to upgrade the fixed power supply

Attention:

To download special download line, the legend, for reference only.

Different items all the download cable may be different, if there is a problem, please confirm with us.

1、Two, tools:


Note: the first time that the upgrade line is connected to the computer, the system will automatically prompt for a new hardware, please find the folder "6575 driver

USB" by using the path to save the upgrade tool. Click

"SPMultiPortFlashDownloadProject.exe"



, Open tools (Figure 1);



2、

1

3, select the target file: click on the "File Scatter" (as shown in Figure 2), select the software package S1_WT11_T3_L2_C2_G4_A_20150615




图2

图5

6, upgrade start: first click the "all Start" button, and then upgrade the line to connect the phone, to upgrade, the process is shown in the following figure.

Sel All Sel All

<input checked="" type="checkbox"/> COM1	<input checked="" type="checkbox"/> Auto polling 1	<input type="checkbox"/>	START	<input type="text" value="0%"/>	16 sec	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM2	<input checked="" type="checkbox"/> Auto polling 2	<input type="checkbox"/>	START	<input type="text" value="0%"/>	16 sec	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM3	<input checked="" type="checkbox"/> Auto polling 3	<input type="checkbox"/>	START	<input type="text" value="0%"/>	16 sec	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM4	<input checked="" type="checkbox"/> Auto polling 4	<input type="checkbox"/>	START	<input type="text" value="0%"/>	16 sec	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM5	<input checked="" type="checkbox"/> Auto polling 5	<input type="checkbox"/>	START	<input type="text" value="0%"/>	16 sec	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM6	<input checked="" type="checkbox"/> Auto polling 6	<input type="checkbox"/>	START	<input type="text" value="0%"/>	16 sec	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM7	<input checked="" type="checkbox"/> Auto polling 7	<input type="checkbox"/>	START	<input type="text" value="0%"/>	16 sec	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM8	<input checked="" type="checkbox"/> Auto polling 8	<input type="checkbox"/>	START	<input type="text" value="0%"/>	16 sec	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM9	<input checked="" type="checkbox"/> Auto polling 9	<input type="checkbox"/>	START	<input type="text" value="0%"/>	16 sec	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM10	<input checked="" type="checkbox"/> Auto polling 10	<input type="checkbox"/>	START	<input type="text" value="0%"/>	16 sec	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM11	<input checked="" type="checkbox"/> Auto polling 11	<input type="checkbox"/>	START	<input type="text" value="0%"/>	16 sec	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM12	<input checked="" type="checkbox"/> Auto polling 12	<input type="checkbox"/>	START	<input type="text" value="0%"/>	16 sec	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM13	<input checked="" type="checkbox"/> Auto polling 13	<input type="checkbox"/>	START	<input type="text" value="0%"/>	16 sec	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM14	<input checked="" type="checkbox"/> Auto polling 14	<input type="checkbox"/>	START	<input type="text" value="0%"/>	16 sec	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM15	<input checked="" type="checkbox"/> Auto polling 15	<input type="checkbox"/>	START	<input type="text" value="0%"/>	16 sec	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM16	<input checked="" type="checkbox"/> Auto polling 16	<input type="checkbox"/>	START	<input type="text" value="0%"/>	16 sec	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>

COM Port

UART

USB

UART + USB

Baud rate:

Download/Format

Operation

Format FAT Options

Auto

Manual

Flash Type

NAND/NFB

NOR

Reset to factory default

Download start

Sel All Sel All

<input checked="" type="checkbox"/> COM1	<input type="checkbox"/> Auto PL	<input type="checkbox"/>	ERROR	<input type="text" value="0%"/>	0 S	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM2	<input type="checkbox"/> Auto PL	<input type="checkbox"/>	START	<input type="text" value="0%"/>	48 S	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM3	<input type="checkbox"/> Auto PL	<input type="checkbox"/>	ERROR	<input type="text" value="0%"/>	0 S	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM4	<input type="checkbox"/> Auto PL	<input type="checkbox"/>	ERROR	<input type="text" value="0%"/>	0 S	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM5	<input type="checkbox"/> Auto PL	<input type="checkbox"/>	START	<input type="text" value="0%"/>	48 S	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM6	<input type="checkbox"/> Auto PL	<input type="checkbox"/>	START	<input type="text" value="0%"/>	48 S	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM7	<input type="checkbox"/> Auto PL	<input type="checkbox"/>	START	<input type="text" value="0%"/>	48 S	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM8	<input type="checkbox"/> Auto PL	<input type="checkbox"/>	DL	<input type="text" value="40%"/>	34 S	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM9	<input type="checkbox"/> Auto PL	<input type="checkbox"/>	ERROR	<input type="text" value="0%"/>	0 S	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM10	<input type="checkbox"/> Auto PL	<input type="checkbox"/>	START	<input type="text" value="0%"/>	48 S	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM11	<input type="checkbox"/> Auto PL	<input type="checkbox"/>	START	<input type="text" value="0%"/>	48 S	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM12	<input type="checkbox"/> Auto PL	<input type="checkbox"/>	START	<input type="text" value="0%"/>	48 S	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM13	<input type="checkbox"/> Auto PL	<input type="checkbox"/>	START	<input type="text" value="0%"/>	48 S	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM14	<input type="checkbox"/> Auto PL	<input type="checkbox"/>	START	<input type="text" value="0%"/>	48 S	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM15	<input type="checkbox"/> Auto PL	<input type="checkbox"/>	START	<input type="text" value="0%"/>	48 S	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>
<input checked="" type="checkbox"/> COM16	<input type="checkbox"/> Auto PL	<input type="checkbox"/>	START	<input type="text" value="0%"/>	48 S	<input type="button" value="Start"/>	<input type="button" value="Stop"/>	<input type="checkbox"/>

Type:

Baud rate:

Format FAT Option

Manual Auto

Two-site download

First-site (UART)

Second-site (USB)

DA download all

Full speed High speed

Battery No battery

USB Port

BootRom-->DA

Preloader-->DA



COM	Auto PL	Status	Progress	Time	Start	Stop
COM1	<input type="checkbox"/>	ERROR	0%	0 S	Start	Stop
COM2	<input type="checkbox"/>	START	0%	108 S	Start	Stop
COM3	<input type="checkbox"/>	ERROR	0%	0 S	Start	Stop
COM4	<input type="checkbox"/>	ERROR	0%	0 S	Start	Stop
COM5	<input type="checkbox"/>	START	0%	108 S	Start	Stop
COM6	<input type="checkbox"/>	START	0%	108 S	Start	Stop
COM7	<input type="checkbox"/>	START	0%	108 S	Start	Stop
COM8	<input type="checkbox"/>	WR OK	100%	83 S	Start	Stop
COM9	<input type="checkbox"/>	ERROR	0%	0 S	Start	Stop
COM10	<input type="checkbox"/>	START	0%	108 S	Start	Stop
COM11	<input type="checkbox"/>	START	0%	108 S	Start	Stop
COM12	<input type="checkbox"/>	START	0%	108 S	Start	Stop
COM13	<input type="checkbox"/>	START	0%	108 S	Start	Stop
COM14	<input type="checkbox"/>	START	0%	108 S	Start	Stop
COM15	<input type="checkbox"/>	START	0%	108 S	Start	Stop
COM16	<input type="checkbox"/>	START	0%	108 S	Start	Stop

Format EMMC flash: begin_addr(0x00980000), length(0xE6880000). Auto Polling number:0

Download complete

Note: as in the upgrade process, the sudden interruption, please check the download line, the phone port, the computer whether there is loose, please click on the "all Stop" button, from the above steps 6 to start.

Such as upgrade can not be started to change the download line, restart the computer, repeated attempts and other operations.

Note: 6516, 6573, 6513 upgrade, this tool is also compatible, but it is still required to upgrade the two lines, the two phase of the upgrade, the detailed steps to provide a reference for our company